7.1.2073

SAMVED ENERGY SYSTEMS PVT LTD

Fronius AUSTRIA

TAX INVOICE

To,
Brijlal Biyani Science College,
Biyani Educational Campus,
Amravati-444605.

INVOICE NO.	SES/SG/BBSC/013
DATE	15.12.2014
YOUR ORDER NO.	UGC/Addi/Assit/54833
CHALLAN NO.	10.10.2014
DELIVERY MODE	By Hand delivery at site.

NO.	DESCRIPTION	QTY.	UOM	RATE/UNIT Rs.	TOTAL Rs.
1	Supply of Solar Power Generating System 10Kwp	01	No.	8,77,809.00	8,77,809.00
1.1	Solar PV Modules 250wp Waaree make - 40 Nos.				
1.2	Solar Inverter 10Kw Fronius make IG + 120V3 - 01 No.				
1.3	Hot Deep Galvanized panel mounting structure – 1 set				
1.4	AC Dustribution Box with Digital Energy meter - 1 DC Distribution Box - 1				
1.5	H/W, Electrical Accessories – 1 set.				
2	Installation & Commissioning charges				42,000.00

SUB TOTAL	9,19,809.00
OCTROI	N.A.
FREIGHT	---------
VAT @ 5 %	EXEMPTED
SERVICE TAX @ 12.36 %	5,191.00
TOTAL	9,25,000.00

TIN NO. 27400686682 V w.e.f. 12.12.2008

CST NO. 27400686682 C w.e.f. 12.12.2008

We hereby certify that my/our Registration Certificate under the Maharashtra Value Added Tax Act, 2002 is in force on the date which the sale of goods specified in this Tax Invoice is made by me/us and that the transaction of sales covered by this Tax Invoice has been effected by me/us in the regular course of my/our business and it shall be accounted for in the turnover of sales while filing of return and the due tax if any payable on the sale has been paid.SUBJECT TO PUNE JURSIDICTION

TOTAL IN WORDS	Rs. Nine lacs twenty five thousand only.
PAYMENTS	75 % payment against material delivery & bal.25% within 2 weeks after satisfactory trial.
BANK DETAILS	Account : Samved Energy Systems Pvt Ltd, Bank : Bank of Maharashtra ,Chatushrungi Branch,Pune-411007. Bank Account No. 60032305135. . IFSC Code :MAHB0000049

Received the goods mentioned in Triplicate.
this bill checked verified and entered
on date 22/12/14 GSR No. 5 ... 7

RECEIVED BY (SIGN. & STAMP)

E&OE

Charge of Accounts/Asst.
Brijlal Biyani Science College
AMRAVATI

FOR SAMVED ENERGY SYSTEMS PVT. LTD.

SAMVED ENERGY SYSTEMS PVT. LTD. Pune-411 026. Tel.:20270231

SAMVED ENERGY SYTEMS PVT LTD.

WORKS: TEL: EL-8, J Block, M.I.D.C. Bhosari, Pune - 411 026 INDIA (020) 20270231 (020) 65104188
Website : www.svamsystems.in Email - svam_pune@vsnl.com

7.1.2.074

SAMVED ENERGY SYSTEMS PVT LTD

Add: EL-8, J-Block, MIDC, Bhosari, Pune-411 026

HANDING OVER & COMMISSIONING REPORT

Date: 20/12/2014

Customer Name: **Brijalal Biyani Science College Amravati**

Add: Bijani Educational campus
Amravati - 444605

P.O No.: UGC/Addl/ASsit/54833 Date:

Project & Type: 10 Kwp Solar Grid Tied Power Generating System without Battery Back

Site Details: On the roof of Collage Building.

System Detail:

1.Solar Modules : 10KWp (250WP x 40 Nos.)

Make & Type: WAAREE Energies 250Wp ,72 Cells . Qty : 40 Nos.

2.Inverter : 10KW

Make & Type: Fronius IG +120 V-3 with Datamanager card inbuilt inside it Qty : 1 No.

Sr. No.: 25472839

Details : Tech Data & Test Report – As attached.

3. DCDB : DC Distribution Board

Make & Type: SAMVED four Input Two Output Qty : 1 No.

Type & Sr. No.: GT/DCDB1412006

4. ACDB : AC Distribution Board

Make & Type: SAMVED Single Input Single Output 3Phase 4 Wire Qty : 1 No.

Type &Sr. No.: GT/ACDB/1412004

5. Wires & Cables :

Make & Type: Polycab 6 Sq. mm Multistrand Cu Wires

Principal
Brijlal Biyani Science College
Amravati.

7.1.2.075

Installation Details & Observations: As per attached Installation Report

We have completed the installation on 20/12/2014. After giving the demo on 22/12/2014 the system is functioning properly. We have noted the following parameter on inverter display -

1] Max. AC power feeding to the grid upto 22/12/14 - 7.6 KW
2] Total power generated :⇒ 36 KW/H (36 units in three days)
3] on 22/12/2014 :⇒ units generated from morning : 18 KW/H. upto 1.00 P.M.
4] String ~~cur~~ current : S_1 = 4 Amp S_2 = 4 Amp S_3 = 4 Amp S_5 = 4 Amp.

Now the system is in running condition. network internet connection is not present that is why system is not available online.

Signature & Stamp:

For SAMVED ENERGY SYSTEMS PVT LTD	FOR Brijalal Biyani Science College Amravati
22/12/2014	22/12/14
Mr. Raju Deurkar	Mr. P. B. Rajhuvanshi Mr. DR. G. D. Agrahari
Mob No. 7350003596	Mob No. 9422155603 Mob No.

Brijlal Biyani Science College Amravati

BrijlalBiyaniShikshaSamiti Amravati's

BRIJLALBIYANI SCIENCE COLLEGE,AMRAVATI.

Affiliated to SantGadge Baba Amravati University,Amravati,Maharashtra,India

NAAC Accredited with CGPA 2.71 at B Grade & ISO 9001:2015 Certified

Annual Utilization of Electricity for College Building,Library Building and Ladies Hostel Building

Year	Total Energy Used From M.S.E.B(Units)	Total Energy Used From Solar Panel (Units)	Total Energy Used(College Building)	Electrical Energy Used For Girls Hostel(Units)	Electrical Energy Used for Library Building(Units)
2016	35054	13078	48132	21159	6073
2017	14348	1598	15946	34299	6174
2018	38709	8673	47382	18390	6301
2019	43899	9420	53319	19626	7721
2020	22632	6443	29075	7410	3093
2021	23214	2881	26095	3736	2817
Total	177856	42093	219949	104620	32179

Total Electric Energy from M.S.E.B Used in College Building From 2016-2021	177856
Total Electric Energy from M.S.E.B Used in Girls Hostel Building from 2016-2021	104620
Total Electric Energy from M.S.E.B Used in Library Building from 2016-2021	32179
Total Solar Energy from Solar Panel Used in College Building from 2016-2021	42093
Total	356748(Units)

Consumption of electric energy from 2016-2021 = 219949

Total Solar Energy Consumed = 42093

Percentage of Solar Energy = $\frac{\text{Total Solar Energy Consumed}}{\text{Total Energy Consumed}} \times 100$

$= \frac{42093 \times 100}{219949}$

= 19.13 %

Brijlal Biyani Science College Amravati

Principal

Brijlal Biyani Science College, Amravati

SOLAR POWER GENERATION FROM 2015 TO 2020

MONTH	2015	2016	2017	2018	2019	2020
JANUARY	481	1202	1039	STAND BY	893	709
FEBRUAY	676	1286	1156	STAND BY	943	894
MARCH	1064	1227	1376	534	597	485
APRIL	1179	1115	1208	1051	756	COVID 19
MAY	839	885	542	889	1080	COVID 19
JUNE	1083	781	725	239	576	COVID 19
JULY	865	726	604	672	598	167
AUGUST	754	998	773	534	426	439
SEPTEMBER	992	964	918	646	491	225
OCTOBER	1124	1163	184	968	534	208
NOVEMVER	443	1006	STAND BY	815	668	67
DECEMBER	1149	1185	STAND BY	955	669	STAND BY
GENERATION IN UNITS	10649 KWH	12588 KWH	8525 KWH	7303 KWH	8231 KWH	3194 KWH
SAVING IN RS @9RS/UNIT	95841/-	113292/-	76725/-	65727/-	74079/-	28746/-
CO2 SAVING	4,472KG	5,286KG	3,580KG	3,076KG	3,457KG	1,341KG


Customer Name :- Brijlal Biyani Science College

Brijlal Biyani Science College Amravati

PRINCIPAL
Brijlal Biyani Science College,
Amravati.

Prepared by :-

MAHESHWARI RENEWABLES
AMRAVATI (M.S.)


WP8X+5MQ, Sharda Vihar, Amravati, Maharashtra 444602, India
Google
Type | Degree | DMS
Latitude | 20.9153523 | 20°54'55" N
Longitude | 77.7492391 | 77°44'57" E
06 Aug 2021, 16:05 pm

Solar Panel

महाराष्ट्र स्टेट इलेक्ट्रिसिटी डिस्ट्रीब्यूशन कंपनी लि.

Website :www.mahadiscom.in
GSTIN of MSEDCL 27AAECM2933K1ZB
BILL NO.(GGN): 000001128860126

वीज पुरवठा देयक माहे: MAR-2021

HSN code 27160000

ग्राहक क्रमांक: 366478324647
THE SECRETARY OFFICE BRIJLAL BIYANI
DASARA MAIDAN ROAD RAJAPETH 444605
मोबाइल/ इमेल: 70******08/***senergy@gmail.com

देयक दिनांक:	23-MAR-21
देयक रक्कम रु:	1,750.00
देय दिनांक:	06-APR-21
या तारखे नंतर भरल्यास:	1,780.00

बिलींग युनिट: 4297 :AMRAVATI U. IIIS/DN.
दर संकेत: 073 /LT VII(B) Public Service 0-20KW Oth
पोल नं: 00000002
पी.सी./चक्र+मार्ग-क्रम/डि.टी.सी.: 6 / 32-5000-0911 /4297460
मिटर क्रमांक: 06506292212
रिडिंग ग्रुप: R6

पुरवठा दिनांक: 10-Sep-14
मंजुर भार: 10 KW
सुरक्षा ठेव जमा(रु): 10,000.00
चालु रिडिंग दिनांक: 20-MAR-21
मागील रिडिंग दिनांक: 19-FEB-21


Scan this QR Code with BHIM App for UPI Payment

चालु रिडिंग	मागील रिडिंग	गुणक अवयव	युनिट	समा. युनिट	एकूण
38339	38125	01	214	0	214

QR कोडद्वारे भरणा केल्यास, भरणा दिनांकानुसार लागू असलेली तत्पर देयक भरणा सूट किवा विलंब आकार पुढील देयकात समाविष्ट करण्यात येईल.

NORMAL
Bill Period: .97 Month(s) /

मागील वीज वापर



* मध्यवर्ती तक्रार निवारण केंद्र 24*7
MSEDCL Call Center:
18002333435
18001023435
1912

ग्राहकांच्या तक्रारीचे निवारण करण्यासंबंधीचे नियम व कार्यपद्धति महावितरणच्या संकेत स्थळ:-
www.mahadiscom.in > ConsumerPortal > CGRF
यावर उपलब्ध आहे.

महत्वाचे :

१.छापील बिला ऐवजी ई-बिला साठी नोंदणी करा व प्रत्येक बिलामागे १० रुपयांचा गो-ग्रीन डिस्काउंट मिळवा.नोंदणी करण्यासाठी:- https://consumerinfo.mahadiscom.in/gogreen.php (GGN नंबर तुमच्या छापील बिलावर वरच्या बाजूला डाव्या कोपऱ्यामध्ये उपलब्ध आहे.)

२. डिजिटल माध्यमाद्वारे विज बिल भरा व 0.२५% (रु.५००/- पर्यंत) सवलत मिळवा.(टॅक्सेस व ड्यूटीज वगळून)

३. तुमचा मोबाइल नंबर व ईमेल पत्ता चुकिचा असल्यास दुरुस्त करा त्यासाठी -https://consumerinfo.mahadiscom.in/ येथे भेट द्या.

४. पुढील महिन्याची रीडिंग साधारणतः 20-04-2021 ह्या तारखेला होईल.

विशेष संदेश :

* प्रिय ग्राहक, आपला नोंदणीकृत भ्रमणध्वनी क्र.70******08 आहे. आपला भ्रमणध्वनी क्रमांक बदलण्यासाठी/नवीन क्रमांक नोंदणीसाठी महावितरण संकेतस्थळ/मोबाईल ॲप वापरा किंवा ९९३०३९९३०३ ह्या क्रमांक वर खालील संदेश पाठवा **MREG 366478324647**

* महावितरणला कोणत्याही प्रकारच्या रक्कमेचा भरणा करताना संगणकीकृत क्रमांक असलेली संगणकीय पावतीच स्वीकारावी. हस्तलिखित पावती स्वीकारु नये. गैरसोय टाळण्यास ऑनलाइन भरणा सुविधेचा पर्याय वापरावा.

For making Energy Bill Payment through RTGS/NEFT mode, use following details
+ Beneficiary Name: MSEDCL

https://www.mahadiscom.in/wss/wss

ENERGY AUDIT REPORT

of

Brijlal Biyani Science College, Amravati

Year: 2020-21

Prepared by:

Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Muktangan English School, Parvati, Pune 411009
Phone: 09890444795 Email: enrichcons@gmail.com

MAHARASHTRA ENERGY DEVELOPMENT AGENCY
An ISO 9001 : 2000 Reg. no. : RQ 91 / 2462

Maharashtra Energy Development Agency
(Government of Maharashtra Institution)
Aundh Road, Opposite Spicer College Road, Near Commissionerate of Animal Husbandary,
Aundh, Pune, Maharashtra 411067
Ph No: 020-35000450
Email: eee@mahaurja.com, Web: www.mahaurja.com

ECN/2021-22/CR-14/1577 22nd April, 2021

CERTIFICATE OF REGISTRATION
FOR CLASS 'A'

We hereby certify that, the firm having following particulars is registered with ***MAHARASHTRA ENERGY DEVELOPMENT AGENCY (MEDA)*** under given category as "Energy Planner & Energy Auditor" in Maharashtra for Energy Conservation Programme of MEDA.

Name and Address of the firm	:	**M/s Enrich Consultants** Yashashree, Plot No. 26, Nirmal Bag Society, Near Muktangan English School, Parvati, Pune - 411009.
Registration Category	:	*Empanelled Consultant for Energy Conservation Programme for Class 'A'*
Registration Number	:	***MEDA/ECN/2021-22/Class A/EA-03***

- Energy Conservation Programme intends to identify areas where wasteful use of energy occurs and to evaluate the scope for Energy Conservation and take concrete steps to achieve the evaluated energy savings.
- MEDA reserves the right to visit at any time without giving prior information to verify quarterly activities performed by the firm and canceling the registration, if the information is found incorrect.
- This empanelment is valid till **21st April, 2023** from the date of registration, to carry out energy audits under the Energy Conservation Programme
- The Director General, MEDA reserves the right to cancel the registration at any time without assigning any reasons thereof.

General Manager (EC)

Enrich Consultants

Yashashree, 26, Nirmal Bag Society,
Near Muktangan English School, Parvati, Pune 411 009
Tel: 09890444795 Email: enrichcons@gmail.com

Ref: EC/BBSC/20-21/01 Date: 12/5/2021

CERTIFICATE

This is to certify that we have conducted Energy Audit at, Brijlal Biyani Science College, Amaravati, in the Academic year 2020-21

.The College has adopted following Energy Efficient practices:

- Usage of Energy Efficient LED Fittings
- Usage of Energy Efficient BEE STAR Rated equipment
- Maximum usage of Day Lighting
- Installation of 10 kWp Roof Top Solar PV Plant

We appreciate the support of Management, involvement of faculty members and students in the process of making the Campus Energy Efficient.

For Enrich Consultants,

A Y Mehendale,
Certified Energy Auditor
EA-8192

INDEX

Sr. No	Particulars	Page No
I	Acknowledgement	5
II	Executive Summary	6
III	Abbreviations	7
1	Introduction	8
2	Study of Connected Load	9
3	Study of Present Energy Consumption	10
4	Carbon Foot Printing	12
5	Study of Usage of Alternate Energy	14
6	Study of LED Lighting	15
7	Recommendation	17

EXECUTIVE SUMMARY

1. Brijlal Biyani Science College, Amaravati consumes Energy in the form of **Electrical Energy** used for various Electrical Equipment, office & other facilities.

1. Present Energy Consumption & CO_2 Emission:

No	Parameter/ Value	Energy Consumed, kWh	CO_2 Emissions, MT
1	Total	4669	4.20
2	Maximum	1260	1.13
3	Minimum	149	0.13
4	Average	389.08	0.35

2. Energy Conservation projects already installed:

- Usage of Energy Efficient LED fittings
- Usage of BEE STAR Rated Equipment
- Maximum Usage of Day Lighting

3. Usage of Alternate Energy:

- The College has installed Roof Top Solar PV Plant of Capacity **10 kWp.**
- Energy purchased from MSEDCL is **4669 kWh.**
- Energy generated by Roof Top Solar PV Plant is **12000 kWh.**
- The percentage of Usage of Alternate Energy to Annual Energy Demand is **72 %.**

4. Usage of LED Lighting:

- The Total Annual Lighting Demand of the College is **2190.72 kWh.**
- The Total Annual LED Lighting Demand is **1096.32 kWh.**
- The percentage of Annual LED Lighting to Annual Lighting Demand is **50.04 %.**

5. Assumptions:

1. 1 kWh of Electrical Energy releases **0.9 Kg** of CO_2 into atmosphere
2. Daily working hours-**2 Nos** (For Lighting Calculations)
3. Annual working Days-**60 Nos** (For Lighting Calculations)

6. Recommendation:

It is recommended to replace the old Light Fittings by LEDs.

7. References:

- For CO_2 Emissions: www.tatapower.com
- For Roof Top Solar PV Plant Energy generation: www.solarrooftop.gov.in

ABBREVIATIONS

LED	:	Light Emitting Diode
MSEDCL	:	Maharashtra State Electricity Distribution Company Limited
IQAC	:	Internal Quality Assurance Cell
BEE	:	Bureau of Energy Efficiency
FTL	:	Fluorescent Tube Light
CFL	:	Compact Fluorescent Light
PV	:	Photo Voltaic
Kg	:	Kilo Gram
kWh	:	kilo-Watt Hour
CO_2	:	Carbon Di Oxide
MT	:	Metric Ton

CHAPTER-I

INTRODUCTION

1.1 Objectives:

1. To study present Energy Consumption
2. To Study the present CO_2 emissions
3. To study usage of Alternate Energy
4. To study usage of LED Lighting

1.2 Table No 1: General Details of the College:

No	Head	Particulars
1	Name of Institution	Brijlal Biyani Science College
2	Address	Amaravati
3	Affiliation	Sant Gadge Baba Amaravati University

CHAPTER-II


STUDY OF CONNECTED LOAD

The major contributors to the connected load of the College include:

Table No 2: Study of Equipment wise Connected Load:

No	Equipment	Qty	Load, W/Unit	Load, kW
1	40 W FTL	170	40	6.8
2	CFL	116	20	2.32
3	20 W LED Tube	176	18	3.168
4	18 W LED Fitting	44	18	0.792
5	50 W LED Fitting	76	50	3.8
6	272 W LED Focus Light	2	272	0.544
7	24 W LED Street Light	20	24	0.48
8	Ceiling Fan	295	65	19.175
9	Computers	109	70	7.63
10	AC-1.5 TR- Old	15	2200	33
11	AC- 1.5 TR- New	8	1838	14.704
12	Water Pump	1	2238	2.238
13	Other Load	15	150	2.25
14	**Total**			**97**

Chart No 1: Study of Connected Load:



CHAPTER-III
STUDY OF PRESENT ENERGY CONSUMPTION

In this chapter, we present the analysis of last year Electricity Bills

Table No 3: Electrical Bill Analysis- 2020-21:

No	Month	Energy Consumed, kWh
1	Apr-20	492
2	May-20	475
3	Jun-20	475
4	Jul-20	475
5	Aug-20	149
6	Sep-20	149
7	Oct-20	149
8	Nov-20	149
9	Dec-20	1260
10	Jan-21	375
11	Feb-21	307
12	Mar-21	214
13	Total	4669
14	Maximum	1260
15	Minimum	149
16	Average	389.08

Chart No 2: Variation in Monthly Energy Consumption:




Table No 4: Variation in Important Parameters:

No	Parameter/ Variation	Energy Consumed, kWh
1	Total	4669
2	Maximum	1260
3	Minimum	149
4	Average	389.08

CHAPTER-IV
CARBON FOOTPRINTING

A Carbon Foot print is defined as the Total Greenhouse Gas emissions, emitted due to various activities.

In this we compute the emissions of Carbon-Di-Oxide, by usage of the various forms of Energy used by the College for performing its day to day activities

The College uses Electrical Energy for various Electrical gadgets.

Basis for computation of CO_2 Emissions:

- 1 kWh of Electrical Energy releases **0.9 Kg of CO_2** into atmosphere

Based on the above Data we compute the CO_2 emissions which are being released in to the atmosphere by the College due to its Day to Day operations

Table No 5: Month wise CO_2 Emissions:

No	Month	Energy Consumed, kWh	CO_2 Emissions, MT
1	Apr-20	492	0.44
2	May-20	475	0.43
3	Jun-20	475	0.43
4	Jul-20	475	0.43
5	Aug-20	149	0.13
6	Sep-20	149	0.13
7	Oct-20	149	0.13
8	Nov-20	149	0.13
9	Dec-20	1260	1.13
10	Jan-21	375	0.34
11	Feb-21	307	0.28
12	Mar-21	214	0.19
13	Total	4669	4.20
14	Maximum	1260	1.13
15	Minimum	149	0.13
16	Average	389.08	0.35

Chart No 3: Month wise CO_2 Emissions:




Table No 6: Important Parameters:

No	Parameter/ Variation	Energy Consumed, kWh	CO2 Emissions, MT
1	Total	4669	4.20
2	Maximum	1260	1.13
3	Minimum	149	0.13
4	Average	389.08	0.35

CHAPTER-V

STUDY OF USAGE OF ALTERNATE ENERGY


The College has installed Roof Top Solar PV Plant of Capacity **10 kWp**.

In the following Table, we compute the percentage of Usage of Alternate Energy to Annual Energy Demand of the College.

Table No 7: Computation of % Annual Energy Demand met by Alternate Energy:

No	Particulars	Value	Unit
1	Installed Capacity of Roof Top Solar PV Plant	10	LPD
2	Electrical Energy generated by Solar PV Plant	4	kWh/kWp
3	Annual Energy Generation Days	300	Nos/Annum
4	Total Energy Generated in 20-21= 1 * 2 * 3	12000	kWh/Annum
5	Energy purchased from MSEDCL	4669	kWh
6	Total Energy Requirement = 4+5	16669	kWh
7	**% of Usage of Alternate Energy = 4*100/6**	**72**	**%**

Photograph of Solar Thermal Water Heating System:



CHAPTER VI

STUDY OF USAGE OF LED LIGHTING

In this chapter, we compute the percentage of usage of LED Lighting to Annual Lighting power requirement.

Table No 8: Percentage of Usage of LED Lighting to Annual Lighting Load:

No	Particulars	Value	Unit
1	Qty of 40 W FTL Light Fittings	170	Nos
2	Load per Fitting	40	W/Unit
3	Total Load of 40 W FTL Fitting	**6.8**	kW
4	Qty of 20 W CFL Light Fittings	116	Nos
5	Load per Fitting	20	W/Unit
6	Total Load of 20 W CFL Fitting	**2.32**	kW
7	Qty of 18 W LED Light Fittings	44	Nos
8	Load per Fitting	18	W/Unit
9	Total Load of 18 W LED Fitting	**0.792**	kW
10	Qty of 20 W LED Light Fittings	176	Nos
11	Load per Fitting	20	W/Unit
12	Total Load of 20 W LED Fitting	**3.52**	kW
13	Qty of 24 W LED Light Fittings	20	Nos
14	Load per Fitting	24	W/Unit
15	Total Load of 24 W LED Fitting	**0.48**	kW
16	Qty of 50 W LED Light Fittings	76	Nos
17	Load per Fitting	50	W/Unit
18	Total Load of 50 W LED Fitting	**3.8**	kW
19	Qty of 272 W LED Light Fittings	2	Nos
20	Load per Fitting	272	W/Unit
21	Total Load of 272 W LED Fitting	**0.544**	kW
22	Total Lighting Load=3+6+9+12+15+18+21	18.256	kW

23	Total LED Lighting Load=9+12+15+18+21	9.136	kW
24	Daily Usage Period	2	Hrs
25	Annual Working Days	60	Nos
26	Annual Total Lighting Load=22*24*25	**2190.72**	kWh
27	Annual LED Lighting Load=23*24*25	**1096.32**	kWh
28	% of Total Lighting Demand met by LED Lighting=27*100/26	**50.04**	%

CHAPTER VII
RECOMMENDATION

It is recommended to replace the Old Light Fittings by LED fittings.

7.1.2.011

Tax Invoice

M/S.Simtek Solar & Electrical Industries (18-19) F6, MIDC, Amravati, Maharashtra GSTIN/UIN: 27ADPPR1179P1ZK Contact : 0721 2521262,7720073601 E-Mail : asrathi208@gmail.com A/C HDFC :- 50200010054734 IFSC CODE :-HDFC0000257	Invoice No. **106/SIMTEK/19-20**	Dated **16-Jul-2019**
	Delivery Note	Mode/Terms of Payment
	Supplier's Ref.	Other Reference(s)
Buyer **PRINCIPAL BRIJLAL BIYANI SCIENCE COLLEGE**	Buyer's Order No.	Dated
	Despatch Document No.	Delivery Note Date
	Despatched through	Destination
Renvated office.	Terms of Delivery	

Sl No.	Description of Goods	HSN/SAC	Quantity	Rate	per	Amount
1	**2*2 Back Light Devalite HD 48W DOWNLIGHT**	9405	**7 NO**	2,970.00	NO	**20,790.00**
	Cgst on Sale (6%)			6	%	**1,247.40**
	Sgst on Sale (6%)			6	%	**1,247.40**
	Round Off					**0.20**
	Total		**7 NO**			**₹ 23,285.00**

Amount Chargeable (in words) *E. & O.E*

INR Twenty Three Thousand Two Hundred Eighty Five Only

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
9405	20,790.00	6%	1,247.40	6%	1,247.40	2,494.80
Total	**20,790.00**		**1,247.40**		**1,247.40**	**2,494.80**

Tax Amount (in words) : **INR Two Thousand Four Hundred Ninety Four and Eighty paise Only**

₹- 23285/-

PASSED FOR PAYMENT

PRINCIPAL

Declaration

We declare that this invoice shows the actual price of the goods described and that all particulars are true and correct.

for M/S.Simtek Solar & Electrical Industries (18-19)

Prepared by Verified by Authorised Signatory

This is a Computer Generated Invoice

A.T. Rathi

Received 23285/- only.

Asrathi


Dr. G.D. Agrawal
7.1.2001

Brijlal Biyani Shiksha Samiti Amavati's

BRIJLAL BIYANI SCIENCE COLLEGE, AMRAVATI

GREEN AUDIT AND ENERGY AUDIT

AUGUST 2019



-Principal-

Dr D. S. Dhote

-Audit Team Members -

Mr Swapnil Thanekar, Ms Bhakti Thanekar, Mr Ashish Soni, Mr Masood Ahmed Raza, Ms S. Rokde

PRINCIPAL
Brijlal Biyani Science College,
Amravati.

Message from Principal



Brijlal Biyani Science College, Amravati has responsibility to become role model for society. We endeavor to set benchmarks for quality education; our Management envisioned itself with responsibility towards making this world a better place. We therefore took cognizance of the perilous topic of "Climate Change" and its impact on the human beings and the habitat. We have therefore integrated energy assessment and green audit. Our green campus team is consistently brainstormed to reduce the energy consumption by mitigating the losses/wastage, introduction of green energy etc. We understand completely that Global warming is fuelling the bulk mean temperature of our earth, causing rise in sea levels, catalyzing extreme weather conditions, acidic rains and an eminent catastrophe is in the making. The cascading effects of climate change are jeopardizing the livelihood of larger sections as food and water are becoming scarce.

We therefore decided to take up directed actions which are in-line with the United Nations Sustainability Development Goal, precisely UNSDG-13. We have contributed towards the development of new concepts, technologies, patents and various innovative ways to conserve energy. We are constantly taking action to align ourselves towards the UNFCCC's goal of limiting global temperature rise to well below 2°C and to pursue efforts to limit the temperature increase to 1.5°C above pre-industrial levels.

We sought the help of Green Audit Team (Mr. Swapnil Thanekar, Mrs. Bhakti Thanekar and Mr. Ashish Soni) who played key role in this achievement. We have purchased carbon credits to offset our emissions. The "Additional Projects" which cause real, measurable and additional emission reductions certified by Designated Operational Entities and endorsed by GHG programs. We endeavor to set an example for our Peers so that they can also adopt sustainable practices.

Dr. Deepak Dhote
Principal

Mr. Adityaraj Rajendrakumarji Gaglani	Executive Member
Mr. Prashant Ghanshyamdasji Agrawal	Executive Member
Mr. Omprakash Ramratanji Nawandar	Executive Member
Mr. Prashant Thakurdasji Rathi	Executive Member

2. All the members of College Development Committee, Brijlal Biyani Science College, Amravati.

3. Green Audit Committee

4. Principal - Dr. Deepak Dhote

5. IQAC Coordinator – Dr. A. D. Rangari

6. Faculty Member – Dr. G.D. Agrahari, Dr. S.J. Ishwarkar, Dr. S.R. Katke

Team of colleagues as stated under Annexure-I

For giving us necessary inputs to carry out this very vital exercise of Green Audit. We are also thankful to other staff members who were actively involved while collecting the data and conducting field measurements.

Profile of Audit Team Members and Independent Reviewers

Mr. Swapnil Thanekar Certified Energy Auditor, M.Tech (Heat & Power Engineering), Expert Global Reporting Initiative
Ms. Bhakti Thanekar Certified Energy Auditor, B.Tech (Chemical Engineering), Principal Consultant - Energy and Safety
Mr. Ashish Soni, Diploma Graduate with 16 years' experience in electrical systems
Mr . Masood Ahmed Raza Mechanical Engineer, Assessment Team Member
Ms. S.Rokde, **Independent Reviewer** Astt. Professor, Deptt. of Mathematics

DISCLAIMER

Green Audit Team has prepared this report for *Brijlal Biyani Science College, Amravati* based on input data submitted by the representatives of College and after having complemented with the best judgment capacity of the expert team.

While all reasonable care has been taken in its preparation, details contained in this report have been compiled in good faith based on information gathered.

It is further informed that the calculations are arrived following best estimates and no representation, warranty or undertaking, express or implied is made and no responsibility is accepted by Audit Team in this report or for any direct or consequential loss arising from any use of the information, statements or forecasts in the report.

Prepared by: (Bhakti Thanekar)

Technical Review by: (Swapnil Thanekar)

Scope of Work

Topics to be covered as part of the assessment are

✓ Solar Passive Architecture

- How the buildings are constructed to utilize the solar energy efficiently. This includes use of day light as lighting source and avoidance of GHG intensive technology example AC as source of cooling due to solar heat gains.

✓ Implementation of measures to reduce wastage of energy

- This includes effective and objective evidences to create awareness towards wastage of electric energy. Hoardings, placards, messages, posters etc planted at key locations in college, hostels and cafeterias. PCRA (Petroleum Conservation Research Association, Govt of India) and BEE (Bureau of Energy Efficiency) posters are exhibited.
- It can also be extended to include papers presented by the students on avoidance of electricity at college or day to day life.
- Appointment of joint committees of teachers and students to save electricity
- Controlling of Power Factor by installation of APFC and getting rebate (up to 5% or MSEDCL norms) from MSEDCL for maintaining unity Power factor

✓ Energy Efficient Procurement

- This includes evaluation of energy efficient procurement practices. This does not exactly mean that you need to buy the most efficient, but you need to buy the most efficient which is financially viable. Example AC with efficiency star ratings, Transformer etc.
- Replacement of lighting sources to CFL or LED
- Replacement of Copper Ballast with Electronic Ballast
- Centralized controls of lighting, auditorium etc. to avoid any mis-use of electricity
- Procurement of LED monitors to phase-out CRT Monitors
- Shift to paperless regime wherever not required, example attendance muster replaced by biometrics, DG logbook replaced by computerized logbook, daily reports converted from paper to paperless, HoD meetings converted to paperless formats, and all such examples
- Installation of Solar panels, Power Purchase Agreements with Solar Power Plant owners to buy Environmentally friendly energy Source etc
- Documentary evidences as feasible to calculate the above impacts and finally into the value of value of avoidance of tCO_2 emitted to atmosphere.

✓ Rain Water Harvesting

This includes Calculation of Catchment Area (Terrace and ground) and evaluating rough amount of water that is recharged into the water recharge pits if applicable.

✓ Hazardous Waste Management and e-Waste Management

There are various wastes that are generated within the organization. The report will give the list of the procedures for waste handling.

✓ Duration of the Green Audit

The Green audit field observations data collection was carried from 29th July to 30th July 2019 for the session 2018-19. The submitted data was monitored by the college throughout the year and assessed by Assessment Team during the visit.

=x=

Acknowledgement

Green Audit Assessment Team thanks the management of Brijlal Biyani Science College, Amravati for assigning this important work of Green Audit. We appreciate the cooperation of our Team for completion of study. Our special thanks to:

1. President and Executive Committee Shri Brijlal Biyani Shiksha Samiti, Amravati-

Mr. Ashok Tulsidasji Rathi, Adv.	President
Mr. Omprakash Shrinivasji Laddha	Vice-President
Mr. Deodatta Ramnarayanji Sharma	Vice-President
Mr. Rajendrakumar Harnarayanji Nawandar	Secretary
Mr. Sunilkumar Jugalkishorji Goyenka	Joint Secretary
Mr. Vinodkumar Bhawarilalji Samra	Treasurer
Mr. Prakalpa Murlidharji Rathi	Executive Member
Mr. Rajesh Prakashchandraji Rathi, Adv.	Executive Member
Mr. Ashok Jagdishprasadji Agrawal	Executive Member
Mr. Sunil Rambilasji Laddha	Executive Member
Mr. Vijaykumar Narayandasji Karwa	Executive Member
Mr. Sanjaykumar Ashokkumarji Kakraniya	Executive Member
Mr. Deepak Vijaykumarji Kasat	Executive Member

7.1.2.011

Contents

Identification

Page no

Principal's Message 1
Acknowledgement 2
Profile of Audit Team Members 4
DISCLAIMER 5

1. ORGANIZATIONAL LEVEL EFFORTS 14
2. CREATION OF AWARENESS 17
3. LIGHTING 18
4. COOLING AND VENTILATION 21
5. OPERATION OF ELECTRONIC EQUIPMENT 23
6. WATER MANAGEMENT 24
7. WATER QUALITY 25
8. RENEWABLE ENERGY 26
9. TRANSPORTATION 26
10. PURCHASING PRACTICES 27
11. ENERGY ASSESSMENT AND CARBON FOOTPRINT 28
12. WASTE MANAGEMENT 31
13. PLANTATION BY COLLEGE 33

List of Annexure

ANNEXURE – I:	LIST OF INTERVIEWED COLLEGE / STUDENTS
ANNEXURE –II:	REFERENCE DOCUMENTS / SURVEYS
ANNEXURE –III:	GREEN CAMPUS COMMITTEE
ANNEXURE –IV:	LIST AWARENESS PROGRAM UNDERTAKEN BY COLLEGE
ANNEXURE –V:	LIGHTING SURVEY
ANNEXURE –VI:	UNDERTAKING BY THE SYSTEM DEPARTMENT REGARDING CONTROL OF ELECTRONIC EQUIPMENTS
ANNEXURE –VII:	WATER QUALITY REPORTS
ANNEXURE –VIII:	LIST OF MAJOR ELECTRONIC EQUIPMENTS IN COLLEGE
ANNEXURE –IX:	SOLAR PANEL INSTALLATIONS
ANNEXURE –X:	WATER DISTRIBUTION DATA
ANNEXURE –XI:	SOLAR PASSIVE STRUCTURE
ANNEXURE –XII:	WATER MANAGEMENT
ANNEXURE –XIII:	WASTE MANAGEMENT
ANNEXURE –XIV:	AWARENESS POSTERS
ANNEXURE –XV:	SNAPSHOT OF ANNUAL RAINFALL DATA, GRID EMISSION FACTOR
ANNEXURE –XVI:	WASTE HANDLING
ANNEXURE –XVII:	ONSITE MEASUREMENTS (SAMPLE PICS)

Abbreviations

AHU	Air Handling Unit
CFL	Compact Fluorescent Lamp
COP	Coefficient Of Performance
DG	Diesel Generator
ECRM	Energy Consumption Reduction Method
HVAC	Heating, Ventilation, And Air Conditioning
ISO	International StandardisationOrganisation
ITHD	Current Voltage Total Harmonic Distortion
Km	Kilometer
kV	kilo Volt
kW	kilo Watts
Lab	Laboratory
LED	Light-Emitting Diode
MNRE	Ministry of New and Renewable Energy
MSEDCL	Maharashtra State Electricity Distribution Co. Ltd.
TR	Tons of Refrigeration
VTHD	Voltage Total Harmonic Distortion

Reference list of Websites

Sr. No.	Websites
1	IEEE 519 - http://ieeexplore.ieee.org/xpl/mostRecentIssue.jsp?punumber=2227
2	http://mnre.gov.in/solar-energy/ch2.pdf
3	BEE - http://www.beeindia.in/
4	ECBC - http://beeindia.in/content.php?page=schemes/schemes.php?id=3
5	http://www.energymanagertraining.com/new_index.php
6	http://www.usailighting.com/stuff/contentmgr/files/1/92ffeb328de0f4878257999e7d46d6e4/misc/lighting_comparison_chart.pdf
7	https://www.bijlibachao.com/lights/use-energy-efficient-lights.html
8	http://www.imd.gov.in/section/climate/climateimp.pdf
9	http://www.bijlibachao.com/air-conditioners/air-conditioner-selection-understand-tonnage-eer-cop-and-star-rating.html
10	http://www.thehindubusinessline.com/opinion/time-to-focus-on-more-crop-per-drop/article9778971.ece
11	http://cgwb.gov.in/district_profile/maharashtra/nashik.pdf
12	http://www.indiawaterportal.org/sites/indiawaterportal.org/files/Roof%20Top%20Rainwater%20Harvesting_Presentation_2006.pdf
13	http://www.imd.gov.in/section/climate/climateimp.pdf
14	https://vcsregistry2.apx.com/myModule/rpt/myrpt.asp?r=206&h=18325
15	http://www.cea.nic.in/tpeandce.html
16	http://cdm.unfccc.int/
17	http://database.v-c-s.org/
18	http://bbscamt.com/
19	http://www.cea.nic.in/tpeandce.html
20	https://timesofindia.indiatimes.com/india/power-ministry-may-make-24-degree-celsius-as-default-setting-for-air-conditioners/articleshow/64701707.cms

Introduction of the Institute[1]

Shri Brijlal Biyani Shiksha Samiti has been founded in the year 1969 in cherished memory of Vidarbha Kesari Late Brijlalji Biyani, the great political and social awakener of Vidarbha. His services in the field of Art, Literature and Education were also great and outstanding.

This Shiksha Samiti, to commemorate his memory, was registered under the Societies Registration Act and the Bombay Public Trust Act also. The society is at present, running a full-fledged Science College with Postgraduate (Botany & Electronics) Degree courses, Bachelor of Science, Bachelor of Business Administration, Bachelor of Computer Application, Bachelor of Commerce and Junior College classes. The College has today become one of the premier institutions of the town. On account of the teamwork of highly qualified and devoted lecturers, well equipped laboratories, libraries and scientifically planned periodical internal assessment system and extra special coaching scheme, the performance of this College during last years has shown remarkable progress and won lures in academic field.

The institution aims at giving their students a sound education which while training them for academic career, will also make self-reliant, keen cooperative and incorruptible citizens.

* M.Sc. Maths, M.Sc. Chemistry M.Sc. Comp to be added

[1] **Reference:** http://bbscamt.com/ and College Management

Objective of Green Audit

The Green Audit Team focused on Material[2] Issues pertaining to college which have the highest influence on the Green Attributes of the College. To evaluate steps taken by college management towards green campus below material issues are discussed chapter wise:

1. Organization Level Efforts
2. Creation of Awareness
3. Lighting
4. Cooling and Ventilation
5. Operation of Electronic Equipments
6. Water Management
7. Water Quality
8. Renewable Energy
9. Transportation
10. Purchasing Practices
11. Energy Assessment and Carbon Footprint
12. Waste Management
13. Plantation Details

Checklist approach is adopted for transparent evaluation of the topics and increase readability for independent reader.

[2]Definition: as per Global Reporting Initiative:**GRI 101:** FOUNDATION2016
An organization is faced with a wide range of topics on which it can report. Relevant topics, which potentially merit inclusion in the report, are those that can reasonably be considered important for reflecting the organization's economic, environmental, and social impacts, or influencing the decisions of stakeholders. In this context, 'impact' refers to the effect an organization has on the economy, the environment, and/or society (positive or negative). A topic can be relevant – and so potentially material – based on only one of these dimensions.

1. Organizational Level Efforts

Is the college having campus green team?	Yes, the Green Campus Committee will be uploaded on the college website: http://bbscamt.com/
If yes, who are the stakeholders?	The below stakeholders are reconfirmed during the surveillance audit. The stakeholders include o Administration o Teaching Faculty o Students o Facility manager (from Accounts Department) o Canteen manager o Volunteers However, Green Campus Team is shared with the Audit Team. Refer Annexure III.
Does it meet regularly?	Based on the review of submitted records, it is confirmed that the Team meets once in a semester.
Can the Green Campus Team suggest new environmental initiatives to College Management?	Suggestions of improvement of environmental performance are always welcomed by Management. Installation of evaporative cooling, faucets to reduce the water wastage in wash basins, discussion on the carbon neutrality of college, water management were prominent topics of discussion.
Have you established an environmental mission/vision for your campus?	The Environmental mission/ vision is integrated part of the philosophy of Management of College. The Green Campus Committee is driven by the visionary thoughts of the Honorable Principal. He is persistent and resolved to make the campus eco-friendlier. Already implementation of solar panels, application of efficient technologies to save energy is implemented. Measures to implement the scope of improvements are also assessed in the relevant chapters of this report.
Is the college encouraging sustainable behaviour via: **o education campaigns?** **o Posters, placards, messages** **o incentives?** **o contests?** **o awards?**	College conducts various activities to create awareness amongst the students and society on environment safety and protection. Tree plantation was carried out in college premises and university campus with active participation of students, faculties and management. Biyani Forest Club took the initiative under the guidance of Dr. S. R. Katke to prepare a nursery in the college itself. The small saplings which grew below the old neem trees were collected. The plastic bags were collected and in them saplings were planted. The teaching staff, non-teaching staff and students contributed to collect the polythene bags thus reducing the plastic waste disposed. The forest club filled the plastic bags with soil and planted small saplings in them. The forest club wishes to achieve the target of 500 samplings so that they can nurse them and provide them during the coming year for plantation.

Seed Bank was formed at college and students of B.Sc II and III (Biology group) were entrusted the assignment of collecting seeds of various fruits and plants during the summer vacation. Seed collection was also explained to the local students of Uttamnagar and in turn they also contributed to the Seed Bank. Seeds of mango, jamun, neem, arjun, palas , karanj, karwand, sitafal, dates, charoli, babool, biba ,fanas were collected.

Brijlal Biyani Science College, Amravati's Biyani Forest Club in continuation with the earlier seed ball preparation workshop arranged seed sowing activity on 20/07/19. Lt. Dr. S. R. Katke, HOD, Zoology arranged the visit to Wadali forest land, forest plantation section no.2 area for sowing of seed balls. Forester Mr. Fartode guided students for the planed seed ball sowing so that maximum germination is assured. Seed balls of mango, jamun, arjun, neem and sitafal were sowed in protected area of the forest. 25 - 50 students were participated in the activity.

Department of Zoology extended its services to the Women of Self Help Group in guiding them to compost the kitchen and garden waste by using the earthworm i.e. vermicomposting thus reducing the waste disposal. The women of SHG participated very keenly and assured to assort the waste and convert kitchen and garden waste into vermicompost.

No vehicle day was observed in the college. Blood Donation camps were arranged on 16/01/2019 in the college. Various activities were carried out under NSS scheme which includes Cleanliness drives, tree plantation. College has observed clean week from 01 august to 15 august in 2018. Around 150 students participated in this.

Please refer Annexure IV and XIV for details.

Our college alumni Mr. Prafulla Vadaskar in Collaboration with Brijlal Biyani Science College, Amravati developed the SMART-SWITCH technology which is very useful as far as power crisis & power conservation is concerned. He under the guidance of Principal Dr. D.S. Dhote designed & developed this technology named as SL-BUS technology system & also submitted Ph.D. thesis to the University on the topic "DESIGN & DEVELOPMENT of SMART EMBEDDED CONTROL SYSTEM FOR POWER CONSERVATION" in the month of July-2019.

Mr. Prafulla Vadaskar has also setup START-UP named as VADACTRO i.e. Vidarbha Advanced Computer Technology & Research Organization & Started the manufacturing & business of smart living which is right now internationally recognized. Also with the help of this technology College is going to adopt smart switch systems with a novel concept "One College One Switch."

Is the college staff modelling sustainable behaviour for students, peers, and community?	It is confirmed that the below good practices 'as observed during the last Assessment' are still practiced: • The Staff of the college utilize the private vehicles for commuting. • The HoD's are car pulling. • Please refer above assessments for additional details.
Do students model sustainable behaviour for staff, peers, and community?	It is confirmed that the below good practices 'as observed during the last Assessment' are still practiced • The students of the college utilize the state transport for commuting.
Is the college sharing learning internally via: oPosters, placards, messages? o assemblies? o classroom presentations? o training/professional development? o posters/bulletin boards? o newsletter? o website?	Data is shared via posters, placards and messages. The topics include minimization of energy usage by avoiding wastage, improvements on energy efficiency, minimization of water wastages, proper disposal of wastes. Please refer Annexure XIV for details. In addition, College is interacting with the Students, Teachers and Society. Please refer above assessments pertaining to sharing of learning's.
Does the college offer energy conservation lessons?	It is confirmed based on the review of various publications and interaction with students and college faculties.
Is the college sharing its learning externally via o Paper presentations? o newsletter? o website?	The students are encouraged to present projects on topic related to environmental aspects. The college is also sharing the Green Audit Report to its peers (upon request) so that learning's of college are shared.

Scope of Improvement :

At organization level, the college needs to Establish long term improvement objectives to further reduce energy consumption and water consumption and reflect the same in form of dedicated Environment Policy.

Conclusion:

- **Active involvement of Organization is observed.**
- **Adequate awareness amongst the students and other stakeholders (faculty, other staffs, service providers, etc.) is observed and reflected from their behavior.**
- **Responsible Step taken by offsetting Green Gases by purchase of credits**

2. Creation of Awareness

Are there posters/guidance displayed to remind students and staff of good practices?	Yes.
Are the students aware of energy sources?	The major source of energy is electricity followed by usage of LPG in canteen, lab and hostel. Students are aware of these sources of energy which are utilized by the college.
Is college tracking its electrical energy usage?	There are dedicated meters (for college, library and hostel) which measures the electricity imported by the college. The reading of annual electricity consumptions are included as part of this report under chapter 11.
Is college offering energy conservation lessons and programs?	• College has created awareness among the faculty and students to reduce energy wastage. • The college has appropriately disabled the screen savers and programmed the computers for sleep mode operations. Please refer Annexure VI and VIII for details.
Do students and staff know where their water comes from?	The main sources of water are borewell water. Borewell water is utilized for drinking, wash rooms and cleaning.
Is college encouraging responsible water use via: **o posters, placards?** **o incentives?** **o contests?** **o awards?**	Yes, by posters, placards, contests and awards to winner of contest.
How is trash managed outside the campus?	The canteen waste is sent to Municipal Corporation disposal site. **Recommendation:** Please refer chapter 12 for details on recommendations of waste management
Conclusion: • Visible communication on environmental issues. • Effective use of notice boards and signs.	
Recommendation: • The usage policy of photocopiers, fax machines and other equipment users is "POWER ON" when in use and "POWER OFF" when not in use. There is no idle power consumption. • Please refer chapter 12 for details on recommendations of waste management	

3. Lighting

Is college utilizing any incandescent lights? Can they be replaced with compact fluorescents (energy saving bulbs)?	The college timings are from 8 am to 5 PM. Thus, requirement of daytime lighting is limited. Energy efficient lighting system is followed. The contemporary best practices with recommendations on lighting by Bureau of Energy Efficiency, Book-3, Chapter 8, table 8.1

Table 8.1 Luminous Performance Characteristics of Commonly Used Lu

Type of Lamp	Lumens / Watt		Colour Rendering Index	Typical Application
	Range	Avg.		
Incandescent	8-18	14	Excellent (100)	Homes, restaurants, general lighting, emergency lighting
Fluorescent lamps	46-60	50	Good w.r.t. coating (67-77)	Offices, shops, hospitals, homes
Compact fluorescent lamps (CFL)	40-70	60	Very good (85)	Hotels, shops, homes, offices
High pressure mercury (HPMV)	44-57	50	Fair (45)	General lighting in factories, garages, car parking, flood lighting
LED lamps	30-50	40	Good (70)	Reading lights, desk lamps, night lights, spotlights, security lights, signage lighting, etc.

The term reading light[3] normally refers to lamps or lights which focus light dedicated for readings, thus LEDs were not considered for class room lightings. Fluorescent lamps were utilized for class rooms (as the same are stated to be suitable for office illumination level requirements).LEDs are installed in Principal Office, Administrative Office, Chemistry Lab, Computer Lab, Botany Lab, Zoology Lab, Mathematics Lab, Physics Lab, Staff room and Electronics lab as a measure towards energy conservation during this year. LED lighting survey was also undertaken by the Audit Team. Please refer below assessments in details.

During the onsite visit the Audit Team visited each department and physically counted the installed lights by their types (Fluorescent tube lamp, CFL and LED). It is confirmed that there is no incandescent light installed for lighting purpose.

As per the published article: **http://www.usailighting.com/stuff/contentmgr/files/1/92ffeb328de0f4878257999e7d46d6e4/misc/lighting_comparison_chart.pdf**

LED light has lumen/ watt in the range of 80-100 whereas CFL has lumen/ watt in the range of 70-90

[3]https://www.collinsdictionary.com/dictionary/english/reading-light

	Recommendation: *As per the replacement policy the college should install LED lights in the class rooms in place of conventional tube lights. The CFL lamps[4] should be replaced by the LED lamps.*
Has the college evaluated existing lighting for opportunities to reduce lighting in over-lit areas?	The lighting arrangements are well balanced with arrangements to switch ON and OFF lights independently. There are therefore practically no over lit areas.
Are the light switched duly labelled to make more obvious which switches relate to which appliances?	Switch arrangements are lucid. The fan switches are adjacent to fan speed regulators. Light switches are arranged in order of lighting.
Are the lights switched off to make use of daylight? (e.g. lights parallel to windows or in corridors)	There is minimum or practically negligible use of lights during day time as the building structure has possibility of daylight usage.
Is the college utilizing natural lighting when possible?	Yes, natural lighting is first preference.
For the spaces like store rooms, toilets, kitchen areas, copying rooms, corridors etc is there scope for automatic lighting controls?	The policy of college is to switch off the lights and other electrical equipment when they are not in use. The appropriate usage of the resources and control on its avoidance is one of core responsibilities of the respective HoD. Since, the culture of useful gain is practiced over the years, there is a responsible and natural tendency amongst staff and students to avoid wastage. Every Lab in-charge is responsible for the lab electrical utilities, every faculty including the HoD is responsible for switching off the un-necessary lightings and AC in his / her cabin.
Can main lighting ever be switched off and dedicated lighting be used?	As such there are no dedicated lamps which can replace overhead lighting. However, redundant lighting can be switched off when it is not required. Lights above desk can be operated and other overheads lights can be switched off.
Are the light fittings clean?	Cleanliness is well maintained. In-house light fittings are cleaned regularly. The light fitting in the veranda needs cleaning. The College Team clarified that the excess dust due to the metro construction has caused the dusting of the light fitting and same will be attended soon.
Do windows and skylights need cleaning to allow in more natural light?	The window and skylight are clean. Cleaning is with utmost care and regular cleaning schedules were observed by the Audit Team during the course of Audit.
Has the college installed lighting occupancy sensors?	No, lights are negligibly operated during day time. The lights are operated manually.
Is there mechanism in place to immediately report inoperable occupancy light sensors?	NA as no light sensor is installed.

[4] The CFL lamps have problem as they contain mercury. Mercury is very toxic to human health and the environment.

What is the % contribution of the LED lighting?	The value is determined and presented under Annexure V.

Further Scope of Improvement:

As per the replacement policy the college should install LED lights in the class rooms in place of conventional tube lights. The CFL lamps[5] should be replaced by the LED lamps.

A dedicated stabilizer can be installed and the lighting load can be transferred. With the help of voltage regulation, further energy savings are possible from the fluorescent lamps. Please refer below table which provides impact of energy savings from voltage regulations (reference Bureau of Energy Efficiency, Book 3, Chapter 8).

Particular	10 % lower Voltage	10% higher voltage
Fluorescent Lamp Light Output	Decreases by 9%	Increases by 8 %
Fluorescent Lamp power consumption	Decreases by 15 %	Increases by 8.1 %

Conclusion:

- **During this Assessment it is verified and is confirmed that Brijlal Biyani Science College, Amravati is excellent with respect to the usage of day lighting. Sufficient lux levels close to 200 are common on the work-stations and classes. Survey was undertaken with students and employees with respect to lighting efficacy and no complain was identified within respect to the sufficiency of lighting measures.**
- **Minimal lighting load is observed during day time as college makes good use of daylight.**
- **Replacement policy to further improve lighting efficiency (as stated above) is implemented.**

[5] The CFL lamps have problem as they contain mercury. Mercury is very toxic to human health and the environment.

4. Cooling and Ventilation

How are the Air Conditioning Controls? For the local controls, how it is ensured that AC is working only ON when necessary. What is temperature setting of the AC?	The AC usage is very high as the temperature in Amravati is comparatively higher (Max temperature is above 42°C[6]) hottest day in Amravati was registered with temperature of 47[7]).
What is the mechanism of reducing heat in-grace? Are the closing blinds or fitting reflective film to windows installed to reduce solar gain?	The building is designed to make best use of day light and avoid the heat in-grace. Blinds are available to control unnecessary heat in-grace. In addition, it is confirmed that there is no unnecessary operation of the equipment which add up the heat.
Are all external doors and windows closed when air conditioning is on?	Based on interviews, it is confirmed that this practice is maintained.
Is there a scenario where air conditioning is wasted in unused spaces, such as cupboards, corridors?	There are no such instances observed. Arrangements are duly implemented to avoid losses.
Are Efficient and energy labelled AC's utilized for cooling purposes?	Following the sustainability practices, the college has procured 03 number of ACs which have 5 star ratings by Bureau of Energy Efficiency. These AC run for average 3-4 hours in the summer and rainy season. • The newly installed 03 number of ACs are 5 star rated installed one in botany lab and two in computer lab. These AC's run for 4-5 hours during summer and rainy season. • 01 number of old AC without rating is installed in the Principal's Office and it runs for 6 hours. • 01 number of AC without rating is installed in microbiology lab and it runs for 3 hours • 05 number of AC without rating are installed in computer lab **Recommendation:** ***As evaporative cooling is proved technology in and allows high number of air changes, it is recommended to replace the existing***

[6] https://www.accuweather.com/en/in/amravati/189309/may-weather/189309
[7] https://www.accuweather.com/en/in/amravati/189309/may-weather/189309

	underrated AC's by evaporative cooling. This will reduce 60-80 % electricity consumption. *The AC temperature should set above 24°C which is consistent with the guidelines of Ministry of Power[8] for HVAC applications.* Still, is scope for the use of evaporative based cooling which is energy effective compared to the reversed Bryon cycle i.e. Vapor Compression Cycle. The basic reason for the same installed system has COP of 1.5 kW/TR of refrigeration compared to evaporative cycle which draws 0.3-0.5 kW based on the size of installation.

Recommendation

- ✓ **College must replace the existing old AC's in the college. AC in the Principal's cabin needs to be replaced on priority.**
- ✓ **The AC temperature should set above 24 °C which is consistent with the guidelines of Ministry of Power[9] for HVAC applications.**
- ✓ **As evaporative cooling is proved technology in and allows high number of air changes, it is recommended to replace the existing underrated AC's by evaporative cooling. This will reduce 60-80 % electricity consumption.**

Conclusion:

- **PROCUREMENT[10] and installation of 5 and 3 STAR AC is observed as one of energy conservation measure. The selection of AC follows the publicly traceable selection methodology which is mix of feasibility and performance.**
- **Majority of AC's are not rated. Recommendation is already raised. Please refer the same.**

[8] https://timesofindia.indiatimes.com/india/power-ministry-may-make-24-degree-celsius-as-default-setting-for-air-conditioners/articleshow/64701707.cms
[9] https://timesofindia.indiatimes.com/india/power-ministry-may-make-24-degree-celsius-as-default-setting-for-air-conditioners/articleshow/64701707.cms
[10] http://www.bijlibachao.com/air-conditioners/air-conditioner-selection-understand-tonnage-eer-cop-and-star-rating.html

5. Operation of Electronic Equipment

Are computers, printers, photocopiers and other equipment switched off at the end of the day?	Yes
Is there any mechanism by which the screens and other equipment be controlled during the day?	The college has appropriately disabled the screen savers and programmed the computers for sleep mode operations. Please refer to Annexure VI.
Are the screen savers disabled?	Yes please refer above assessment.
Are computers programmed to 'power down' mode?	Computers are programmed for the sleep operation.
Is the user entrusted with the rights to modify standby settings? (e.g. TVs, LCD projectors, printers etc.)	No, the college has the administrative rights. Such changes cannot be initiated by users.
What is status of the photocopiers, fax machines and other equipment? Are they programmed on 'Energy Saver' mode during the day?	**Recommendation:** • **The usage policy of photocopiers, fax machines and other equipment users is "POWER ON" when in use and "POWER OFF" when not in use. There is no idle power consumption.**
Are the power management settings enabled on all the computers/ monitors/ all-in-one machines?	All machines are governed by the college. All are equipped by power management settings as already described above.
Recommendation: • **The usage policy of photocopiers, fax machines and other equipment users is "POWER ON" when in use and "POWER OFF" when not in use. There is no idle power consumption.**	

6. Water Management

Are any water leaks identified?	The urinals are flushed periodically and manually. Simple taps are installed during 2018-19. The urinals are equipped with push button taps. Please refer below recommendation.
Are taps left running? Are there any dripping taps? Do taps need maintenance?	No such instance was observed.
Are push button taps utilized?	***The toilet washrooms are equipped with the push buttons.***
Is water escaping from overflows either inside or outside buildings?	No such instance was identified during onsite audit.
Has the college installed low-flow faucets, automatic faucets, and/or faucet aerators?	**Recommendation:** **College can install the low-flow faucets, automatic faucets, and/or faucet aerators.**
Has the college installed low-flow shower heads at Hostel?	Please refer above recommendation.
Has the college collected rainwater for onsite watering needs?	**Recommendation** **College is utilising the groundwater for drinking, washroom and cleaning, However, there is no rainwater harvesting system installed. The college is in process of installing the rainwater harvesting system to utilize the rainwater harvesting potential. The actual quantity of harvested water will be reported in next annual assessment.**
Is the college collecting the condensation from A/C units for onsite watering needs?	No. It is advised to collect the condensed water from A/C units.
Has the college optimized its irrigation system for gardening to: o operate at night or early morning hours to minimize evaporation? o water the minimum time and frequency necessary for the applicable vegetation?	As per the latest publication from "The Hindu" drip irrigation is one of the most important measures to achieve "more crop per drop". Share of Agriculture consumption is approximately 83 per cent of India's water resources, thus approximately 17 per cent water resources are available for domestic and industrial use (http://www.thehindubusinessline.com/opinion/time-to-focus-on-more-crop-per-drop/article9778971.ece). The Assessment Team noted that college is utilizing the RO reject water for watering nearby plants. For rest of gardening area of college. It is noted that there is no drip or sprinkler system implemented by college, however the plants are watered by mug

	and bucket by dedicated resource.
What is amount of rain water harvested?	No rain water harvesting system is installed. Recommendation is already issued. The college administration needs to expedite the installation of water harvesting system and recharge the ground water table.
Are there any community-based projects implemented by the college?	• Awareness programme on vermiculture was undertaken for community. • Compost manure (though in small quantity) is also given to needy free of cost or utilized in house. • Cleanliness drives under "Swatch Bharat" is undertaken by college NSS unit. • Blood donation camps are organized by college
Recommendation: • **The college Management needs to consider the low-flow faucets, automatic faucets, and/or faucet aerators as the replacement for the existing conventional taps.** • **College needs to install the metering arrangement to measure the water drawn from bore well.** • **College needs to install meters to measure the water drawn from the borewell.**	
Conclusion: • **The toilet washrooms are equipped with the push buttons.** • **Practically efficient measures are implemented for gardening.** • **RO reject water is supplied to plants.** • **College installed rainwater harvesting**	

7. Water Quality

Is the college campus maintained clean to minimize litter polluting water table?	The college premise is kept clean. Thus the chances of litter polluting water table are negligible. However, please refer below "Scope for Improvement". **Scope for Improvement:** The disposal of chemicals from the chemical lab should be captured in a dedicated pit (isolated from ground) and further steps of handling chemicals should follow best practices.
Is the college monitoring drinking water quality regularly? If yes, what is the frequency?	The Chemical Lab is undertaking water testing. In case of any deviant parameters are observed, the water will be tested in a third-party laboratory. Water Quality Test are included as part of Annexure VII to this Report.

	Recommendation: **College should appoint independent third party for drinking water testing at least once in a semester.**

Recommendation:

College should appoint independent third party for drinking water testing at least once in a semester.

Conclusion:

The students, staff members and guests have access to clean, safe and potable water.

8. Renewable Energy

Is the college having solar, wind, or other forms of renewable energy?	College Management has introduced solar PV generation. The share of renewable energy comes to 11.53 %[11]. Of electrical energy.
Is the college purchasing renewable power from third party or renewable energy certificates for its electricity use?	Only Grid electricity is purchased. This is verified from the submitted bills.
Is the college offering renewable energy lessons / programs?	Yes. Students are also encouraged to present papers and make assignments of renewable energy.

Conclusion:

The contribution of the renewable energy needs to be improved from the present value of 11.53%. College Management needs to develop long term action plan in this regard.

It is noted that emissions offset are purchased to compensate GHG emissions.

9. Transportation

Is the college providing eco-friendly or less GHG intensive transportation matching services? (Example carpools, college buses etc)	The Staff and students of the college utilize the public transport (State transport) for commuting. The HoD's are car pulling.
What are the good practices pertaining to Transport?	There is no college owned or contracted transport. The students utilize state transport and cycle as means of commutation. The use of cycle is encouraged as parking lot allows only parking of cycles. No fossil fuel based vehicle are allowed other than staff members who are using two wheelers as mode of transport

[11]= {58,806 (college electricity) + 21,759 (hostel) + 8,060 (library)}/(11,762) solar energy
= 11.53 %

Conclusion:

The college management, its employees and the students observe good practices of transportation/ commutation.

10. Purchasing Practices

Describe the purchasing that confirms the better environmental performance?	Lastly the college has purchased the ACs with 5-starlabelling. Printers with duplex printing facility is installed at the office. There is culture of the two sided printing. Paper is not wasted.
How does the college limit the purchase of single-serve bottles and containers?	The college has RO system; guests are served with water from RO system. Single serve bottles are not utilized unless requested by the guest.
Is the college having water fountains/stations to promote easy filling of reusable water bottles?	Yes, the water dispensers are connected to output of RO system. Clean and potable water is available to staff, student and guests.

Conclusion:

The GHG intensive technologies are well managed.

Focus on the replacement of lighting as per above stated recommendation needs to be considered

Focus of the recommendation pertaining to the replacement of AC with evaporative cooling needs to be considered.

One sided paper is utilized by college to avoid use of fresh papers

Policy for the disposal of Archived paper Records needs to be formed by college

11. Energy Assessment and Carbon Footprint

Has the college undertaken energy audit?	Yes, the energy audit was undertaken and electrical measurements were undertaken at the college. Please refer the Annexure –XVII of this report. Energy audit is an effective tool in identifying and perusing a comprehensive energy management program. Energy Audit highlights the areas of energy savings, thereby reducing the energy costs. The following are the major consumers of electricity in the facility ✓ Computers ✓ Lighting ✓ Air-Conditioning ✓ Fans ✓ Pumps ✓ Other Lab Equipment
What are the steps undertaken during the energy audit?	The Assessment Team undertook the analysis of the college premise: ✓ To study electricity bills ✓ Study of lighting system and its measurement. ✓ Air conditioner ✓ Study of loads in particular at the IT labs ✓ Usage of Renewable energy systems ✓ Identification of energy saving opportunity and energy conservation.
What methodology was adopted?	The energy assessment involved desk review and onsite measurements. Review of energy bill received from MSEDCL was undertaken. Review of lighting, HVAC, fuel usage, pumping systems etc. was undertaken. Energy conservation and saving opportunities are identified and included below.
What are the suggested energy conservation measures?	Below energy conservation measures are suggested ✓ The one switch for college concept should be implemented in the college. This will avoid unwanted operation and wastage of electricity. ✓ There are 40 W tube lights with copper chokes. As per replacement policy the LED tube-light should be installed. The T8 LED tube has wattage of 16 W, thus the energy saved is 40-16 = 24 watt. As per study there are 243 tubes of 40 W in college, library and hostel. After the replacement based on failure the energy savings will be approximately 20000 kWh. With average electricity cost of INR 6/kWh, the annual savings will be approximately INR 1,20,000 per year. ✓ Air conditioner shall be operated between temperature range of 24-28^{0}C to maintain lower cooling load on compressor to save energy. ✓ The existing non-star labelled AC's should be replaced by the 3-star(daily usage of 2-4 hour) or 5-star AC's (daily usage above 4 hours). The energy savings will

	be approximately (7500[12] X 8[13]) /2[14] = 30000 INR per year. ✓ Application of evaporative cooling should be promoted in place of AC's. The basic reason for the same installed system has COP of 1.5 kW/TR of refrigeration compared to evaporative cycle which draws 0.3-0.5 kW based on the size of installation. If even the 5 non labelled AC are replaced, then the savings will be (1-0.5)*300 days*4 hours per day*5 (number of AC)= 3000 kWh. With cost of INR 6/kWh, the savings will be INR 18,000 per year. ✓ Solar energy application is recommended for battery charging of UPS. Solar panels can be installed on the remaining terrace area. ✓ All Class Rooms and labs must sensitize students regarding optimum use of electrical appliances in the room like, lights, fans, computers ✓ During onsite audit, it is observed that most of the tube lights in a class room are kept ON, even though, there is sufficient light level near the window opening. In such cases, the light row near the window may be kept OFF. ✓ There is no policy on the use and operation of electronic Equipments. ✓ All computers to have power saving settings to turn off monitors and hard discs, say after 10 minutes/30 minutes. The electronic equipment like copy machines must be operated in ON/ OFF mode. ✓ The comfort air conditioning temperature to be set between 24°C to 26°C. ✓ Lights in toilet area may be kept OFF during day time
Has the college calculated its carbon footprint?	The college has calculated the carbon footprint. The data applicable to Scope-2 emission (electricity purchase from grid) is available.
How is college promoting zero emission transportation options?	Not applicable. There is no internal transportation within the college.
What are special energy saving measures undertaken?	✓ Printers are shared, ✓ Renewable energy is utilized, ✓ LED lights are installed ✓ New procurement includes 5-star AC's ✓ Installation of electronic fan regulators ✓ Installation of submersible pumps
Are all the applicable emission sources calculated?	The emission source pertaining to grid based electricity source is calculated. Scope-01 emission source data pertaining to LPG consumption are calculated, for Scope-02 electricity bills are considered **Scope-01 Emissions:**

[12]Conservatively accounting savings for 1 ton. https://www.mylloyd.com/customer-service/ac-energy-saving-chart

[13]Non labelled AC

[14]Considering conservatively average 4 hours a day operation

LPG Consumption in Chemistry Lab	LPG consumption in Girls Hostel and Generator
Kg	kg
2800	57

Equivalent Scope-01 Emissions are as below:

Thus, Scope 01 emissions are 9.45/0.9 = 11 tCO_2

Scope -2 Emissions are tabulated as follows:

Month	Main building	Hostel meter	Library meter
	kWh	kWh	kWh
Apr-18	2915	1789	653
May-18	0	0	0
Jun-18	956	296	239
Jul-18	3908	1617	672
Aug-18	4079	1907	694
Sep-18	3435	1482	690
Oct-18	4653	521	189
Nov-18	891	2152	748
Dec-18	2531	1182	434
Jan-19	2767	1149	472
Feb-19	3869	1569	502
Mar-19	3048	1249	367
Total (kWh)	33052	14913	5660
Grid Emission Factor as per CEA Version 14	0.91 tCO_2/MWh		
Scope 2 Emissions are(tCO2)			55

Scope-02 emissions = 48.79/0.9 = ~ 55 tCO_2

Total CO2 emissions for financial year 2018-19

= Scope-01 + Scope-02 émission

= (11 + 55) tCO_2

= 66 tCO_2

Carbon Credits Purchased

66/0.99 uncertainty factor = 73.33 = 74 tCO_2

Weblink of purchase of carbon credits:

https://vcsregistry2.apx.com/myModule/rpt/myrpt.asp?r=206&h=26359

Snapshot (Edited)

VCU Serial Numbers	Quantity of VCUs	Registry ID	Project Database ID	Project Name	Origination Program	Beneficial Owner	Retirement Reason Details	Date of Retirement
5482-238831401-238831474-VCU-008-APX-IN-1-1563-14122011-22032012-0	74	VCSR1212	VCSPD1563	Adani Enterprises Limited Solar PV Power Project in Gujarat, India	Verified Carbon Standard	Brijlal Biyani Science College, Amravati	GHG emissions Offsetting	03/10/2019

12. Waste Management

How the college reduces its paper waste via: **o encouraging digital reading, note-taking, and activities?** **o setting printers and computers to default to duplex (double-sided) printing?** **o reducing margins and white space on documents that must be printed?** **o printing multiple pages per sheet?** **o minimizing paper correspondence with families?** **o opting out of unwanted mail?**	• The class room and labs are well ventilated and spacious. This minimizes suffocation to students by improving air changes and hence the air quality. • The college has adopted the duplex printers, which enables the complete usage of the paper areas • The internal correspondences and various functionalities are taken care by the electronic means like emails, sms and whatsapp. The recycling/ disposal system adopted by the college is as below.
Is the college undertaking recycling collection for additional recyclable materials—like plastic bags, CFL (spiral) light bulbs, batteries, drink pouches, candy wrappers, and electronics?	**Different types are generated within campus which include** • **Canteen Waste:** Municipal Corporation handles the canteen waste. It is authorized government functionality for waste disposal. • **E-Waste:** The E-waste generally includes the tube-lights, CFL, LED, electronic waste etc.

During the site visit it is observed that the e-wastes are retained at various labs and in fragmented manner. There is no dedicated mechanism to identify, dispose and store the e-waste. College has yet not signed any MoU with authorized agencies **for e-waste handling or purchase of electronic scrap.**

Recommendation: College must design dedicated mechanism of e-waste disposal to collect, segregate and dispose the e-waste.

- **Bio-Medical Waste Handling:** The bio-medical wastes are incinerated and landfilled inside campus.

Recommendation: College must sign MoU for the bio-hazardous wastes. College can also install incinerators at girls' common room for disposal of sanitary waste. This will allow disposal without any foul smell.

- **Recycling of RO Waste Water:** The waste water from RO is recycled for garden use.
- **Chemical Waste: The chemical lab is discharging the waste to ground.**

Recommendation: College must initiate appropriate measures (Cement pit, non-permeable type) for disposal of chemical wastes to avoid soil contamination.

Please refer Annexure XII and XVI for details.

Conclusion:

Waste Management needs improvements.

Recommendations:

- ✓ **College must design dedicated mechanism of e-waste disposal to collect, segregate and dispose the e-waste.**
- ✓ **College must sign MoU for the bio-hazardous wastes. College can also install incinerators at girls' common room for disposal of sanitary waste. This will allow disposal without any foul smell.**
- ✓ **College must initiate appropriate measures (Cement pit, non-permeable type) for disposal of chemical wastes to avoid soil contamination.**

7.1.2.036

13. Plantation by College

S. N.	Botanical Name	Vernacular Name	Family	Total
01.	*Azadirachta indica*	Kadu neem	Meliaceae	35
02.	*Acacia arabica*	Subabhul	Mimosaceae	06
03.	*Auracharia sp*	X mas tree	Cupressaceae	05
04	*Acacia sp*	Babhul	Mimosaceae	13
05.	*Amaryllis sp*	Lily	Amaryllidinae	07
06.	*Aloe vera*	Korfad	Liliaceae	12
07.	*Arum sp*	Chamkora	Araceae	04
08.	*Asparagus racemosus*	Shatawari	Liliaceae	12
09.	*Aegle marmelos*	Bael	Rutaceae	02
10.	*Bougainvillea spectabilis*	Bougainvillea	Nyctaginaceae	17
11.	*Barleria prattensis*	Kata koranti	Acanthaceae	07
12.	*Borassus flabellifer*	Fan palm	Aracaceae	15
13.	*Bauhinia purpurea*	Kachnar	Ceasalpinaceae	03
14.	*Cassia siamea*	Kassod	Ceasalpiniaceae	07
15.	*Cassia occidentalis*	Kanchan	Ceasalpiniaceae	10
16.	*Cassia fistula*	Amaltas	Ceasalpiniaceae	14
17.	*Canna indica*	Kaddhadi	Cannaceae	02
18.	*Cycas circinalis*	Green sago	Cycadaceae	07
19.	*Cycas revolute*	Sago palm	Cycadaceae	09
20.	*Croton sp*	Croton	Euphorbiaceae	04
21.	*Clerodendrum phlomidis*	Khanduchakka	Verbenaceae	10
22.	*Clerodendrum serratum*	Bharangi	Verbenaceae	09
23.	*Cymbopogon martini*	Tikhadi	Poaceae	04
24.	*Clitoria ternatea*	Gokarna	Fabaceae	07
25.	*Catharanthus roseus*	Sadafuly	Apocynaceae	10
26.	*Ceasalpinia pulcherrima*	Pride of brooms	Ceasalpiniaceae	05
27.	*Delonix regia*	Gulmohar	Ceasalpiniaceae	11
28.	*Duranta repens*	Duranta	Verbenaceae	56
29.	*Dalbergia sissoo*	Shisham	Papilionaceae	02
30.	*Eucalyptus globulus*	Nilgiri	Myrtaceae	06
31.	*Erythrina phloboides*	Panjra	Papilionaceae	01
32.	*Erythrina variegate*	Indian coral tree	Papilionaceae	01
33.	*Ficus religiosa*	Pimpal	Moraceae	10
34.	*Ficus glomerata*	Umber	Moraceae	05
35.	*Haemalia patens*	Fire brush	Rubiaceae	02
36.	*Hibiscus populneus*	Paras pipal	Malvaceae	01
37.	*Hibiscus rosasinensis*	Jaswand	Malvaceae	06
38.	*Ixora parviflora*	Torch tree	Rubiaceae	02
39.	*Jatropa curcas*	Physic nut	Euphorbiaceae	04
40.	*Jasminum sambac*	Mogra	Oleaceae	09
41.	*Juniparus sambac*	Juniper	Cupressaceae	16
42.	*Kigelia pinnata*	Karanj	Bignoniaceae	04
43.	*Kigelia sp*		Bignoniaceae	01
44.	*Livistona rotundifolia*	Table palm	Arecaceae	14
45.	*Lagerstraemia speciose*	Jarul	Lythraceae	01
46.	*Michelia champaca*	Sonchapha	Magnoliaceae	01

47.	*Magnifera indica*	Mango(Amba)	Anacardiaceae	02
48.	*Murraya paniculata*	Madhumalti	Rutaceae	02
49.	*Melia azadirach*	Bakain (Endanger)	Meliaceae	01
50.	*Mimosa pudica*	Lajwanti	Mimosaceae	10
51.	*Mimusop selengi*	Bakul	Sapotaceae	07
52.	*Neprolepis Sp.*	Fern	Filicaceae	04
53.	*Prosopis cineraria*	Shami (Endanger)	Mimosaceae	01
54.	*Polyalthia longifolia*	Ashoka	Annonaceae	20
55.	*Psidium guajava*	Jam	Myrtaceae	02
56.	*Phyllanthus nirurai*	BhuiAawala	Euphorbiaceae	17
57.	*Putranjiva roxburghii*	Jivanputra	Putranjivaceae	02
58.	*Prunus dulcis*	Badam	Rosaceae	02
59.	*Pinus roxburgi*	Pine	Pinaceae	04
60.	*Peltophorum Sp.*	Yellow flame tree	Ceasalpinaceae	03
61.	*Punica granatum*	Anar	Punicaceae	01
62.	*Plumbago zeylanica*	Doctor bush	Plumbaginaceae	04
63.	*Rosa indica*	Gulab	Rosaceae	04
64.	*Ruellia simplex*	Blue bell	Acanthaceae	12
65.	*Thevetia peruviana*	Bittee	Apocynaceae	05
66.	*Tabernaemontana divaricata*	Swastik	Apocynaceae	04
67.	*Thunbergia erecta*	Bush clockvine	Acanthaceae	01
68.	*Tridax procumbence*	Kambarmodi`	Asteraceae	25
69.	*Thuja plicata*	Vidya	Cupressaceae	06
70.	*Tinospora cardifolia*	Gulwel	Menispermaceae	08
71.	*Tecoma stans*	Yellow bell	Bignoniaceae	10
72.	*Syzygium aromaticum*	Lawang	Myrtaceae	04
73.	*Saraca indica*	Ashoka	Mimosaceae	10
74.	*Sida alba*	Sida	Malvaceae	15
75.	*Vitis quadrangularis*	Hadjod	Vitaceae	05

7.1.2.038

Annexures

Annexure – I: List of Interviewed College / Students

Sr. No	Name	Designation
1	Dr. Deepak S. Dhote	Principal, Chairman
2	Mr. Saurabh Rathi	Management Representative
3	Dr. A. D. Rangari	IQAC Coordinator
4	Dr. P. B. Raghuvanshi	Head of Department, Chemistry
5	Dr. D. T. Deshmukh	Head of Department, Statistics
6	Dr. S. R. Katake	Head of Department, Zoology
7	Dr. N. H. Shahare	Head of Department, Botany
8	Dr. G. D. Agrahari	Head of Department, Electronics
9	Dr. A. D. Rangari	Head of Department, Physics
10	Mrs. P. R. Agrawal	Head of Department, Mathematics
11	Dr. V. S. Tondre	Head of Department, Computer Science
12	Dr. S. G. Ishwarkar	EVS In charge (Senior College)
13	Ms. K. V. Bhopale	EVS In charge (Junior College)
14	Mr. Dinesh Maniyar	Canteen Manager
15	Mr. M. D. Mahajan	Administrative Head
16	Dr. A. U Pachkhade	Regular Campus Users (Morning Walk Representative)
	Post Graduate Students Representative	
17	Mr. A. R. Ugale	**M.Sc. II Botany**
18	Ms. Mansi Sharma	**M.Sc. II Chemistry**
19	Ms. Tilottama Umbarkar	**M.Sc. II Electronics**
20	Ms. Shradhha Bhavner	**M.Sc. II Computer Science**
21	Ms. Avantika Mankar	**M.Sc. II Mathematics**
22	Mr. Shubham R. Pahalajani	**M.Com. II**
	Undergraduate Student Representative	
23	Ms. Nikita A. Jain	**B.Com III**
24	Mr. Saurabh S. Muahade	**BBA III**
25	Mr. Aniktet B. Guhe	**B.Sc. III**
26	Mr. Shubham S. Vyavhare	**BCA III**
27	Mr. Amansingh Chavan	**B.Voc. II**

Annexure –II: Reference Documents / Surveys

Sr. No	Reference Documents / Surveys pertaining to
1.	Functionality of RO water plant
2.	Utilization of RO reject water for gardening
3.	Roof top area by College
4.	Setup for Water Harvesting
5.	Information regarding Canteen Compost Management
6.	Information regarding Garden Waste Management
7.	Information regarding Liquid Waste Management
8.	Measures for maintaining Cleanliness in Campus.
9.	Measures for Garbage Collection and disposal
10.	Plantation Measures
11.	Electricity Bills for duration of April 2018 to March 2019
12.	Green Campus Committee composition
13.	Declaration on Operational Controls Of System Department With Respect To IT Management & Other Electronic Equipments.
14.	Roll Of Staff, Students & Management to Save Electricity In Campus.
15.	Lighting Survey undertaken by the Green Audit Team
16.	AC Survey undertaken by the Green Audit Team
17.	Water Harvesting Survey undertaken by the Green Audit Team
18.	Waste Water Management Survey undertaken by the Green Audit Team

Annexure –III: Green Campus Committee

Sr. No	Name	Designation
1	Dr. Deepak S. Dhote	Principal, Chairman
2	Mr. Saurabh Rathi	Management Representative
3	Dr. A. D. Rangari	IQAC Coordinator
4	Dr. P. B. Raghuvanshi	Head of Department, Chemistry
5	Dr. D. T. Deshmukh	Head of Department, Statistics
6	Dr. S. R. Katake	Head of Department, Zoology
7	Dr. N. H. Shahare	Head of Department, Botany
8	Dr. G. D. Agrahari	Head of Department, Electronics
9	Dr. A. D. Rangari	Head of Department, Physics
10	Mrs. P. R. Agrawal	Head of Department, Mathematics
11	Dr. V. S. Tondre	Head of Department, Computer Science
12	Dr. S. G. Ishwarkar	EVS In charge (Senior College)
13	Ms. K. V. Bhopale	EVS In charge (Junior College)
14	Mr. Dinesh Maniyar	Canteen Manager
15	Mr. M. D. Mahajan	Administrative Head
16	Dr. A. U Pachkhade	Regular Campus Users (Morning Walk Representative)
	Post Graduate Students Representative	
17	Mr. A. R. Ugale	**M.Sc. II Botany**
18	Ms. Mansi Sharma	**M.Sc. II Chemistry**
19	Ms. Tilottama Umbarkar	**M.Sc. II Electronics**
20	Ms. Shradhha Bhavner	**M.Sc. II Computer Science**
21	Ms. Avantika Mankar	**M.Sc. II Mathematics**
22	Mr. Shubham R. Pahalajani	**M.Com. II**
	Undergraduate Student Representative	
23	Ms. Nikita A. Jain	**B.Com III**
24	Mr. Saurabh S. Muahade	**BBA III**
25	Mr. Aniktet B. Guhe	**B.Sc. III**
26	Mr. Shubham S. Vyavhare	**BCA III**
27	Mr. Amansingh Chavan	**B.Voc. II**


Annexure –IV: List Awareness Program undertaken by College



Students participated in cleanliness drive



Cleanliness Drive by Students under NSS Scheme



स्वच्छता पंधरवडा
(दि. ०१ सप्टेंबर ते १५ सप्टेंबर २०१८ दरम्यान)
एकूण स्वयंसेवक विद्यार्थी - १५०
कार्यक्रम - पथनाट्य, रॅली, व्यसनमुक्ती जनजागृती
स्वच्छता अभियान, मध्यवर्ती प्रचारणक
आणि परिसर स्वच्छता अभियान

7.1.2043


वृक्षारोपण

ब्रजलाल बियाणी विज्ञान महाविद्यालयातील राष्ट्रीय सेवा योजना पथकाद्वारे वलगाव ग्राम कार्यक्षेत्रात येथे दि. 08 जुलै 2021 रोजी हिंदू स्मशानभूमी मध्ये एकूण 25 वृक्षांचे रोपांची लागवड करण्यात आली. यावेळी गावचे सरपंच श्री. निलेश वरुडे, पोलीस पाटील श्री मंगेश वरुडे, श्री सुरेश वरुडे तसेच गावकरी, रासेयो कार्यक्रम अधिकारी प्रा. एस. एन. पठाडकर व रासेयो स्वयंसेवक, इत्यादी उपस्थित होते.



Tree Plantation







Rainwater Harvesting workshop



Seed ball preparation activity



Seed Ball sowing activity



Workshop Photo



Students participation in Blood Donation



Blood Donation Camp

Annexure –V: Lighting Survey

List of Assumptions:

- During the survey specific hours for each class room was assessed and accordingly average daily hours is calculating under column "Hrs Of Use"
- The W ratings of the installed lights is taken from the College data
- The calculations cover the two approaches
  - **Note: The Lumen/Watt for 28 W tube light is up to 110; which is almost same as LED is: 110-120[1]**
  - The Green Audit Team acknowledges the criteria for introduction of LED lights as LED lights do not have disposal problems. Tube lights face problem of mercury contamination.
  - Conversely the college also faces the same problem of disposal of existing tube lights. The sudden disposal of tube lights on large scale and within their service life will lead to huge amount of e-waste which has critical impact on environment. The college management is thus looking for the replacement policy and lighting (tube light, CFL) will be upgraded to eco-friendly LED after failure of existing lighting system.

Place	Tube Lights	Watt	Hrs Of Use	Wh	CFL	Watt	Hrs Of Use	Wh	LED	Watt	Hrs Of Use	Wh
Office	-	-	-	-	-	-	-	-	7	25	7	1225
Staff Room	2	40	7	560	-	-	-	-	-	-	-	-
Guest Room	3	40	7	840	-	-	-	-	12	20	7	1680
Principal Office		40		0	-	-	-	-	10	10	6	600
Conference Hall	9	40	3	1080	1	20	5	100	1	50	5	250
Physical Training Room	3	40	3	360				0	-	-	-	-
Chemistry Lab	13	40	3	1560				0	9	20	7	1260

[1] https://www.google.co.in/amp/s/www.bijlibachao.com/lights/comparing-led-lights-with-fluorescent-lights.html%3fisamp=1

7.1.2.4

Computer Lab	-	-	-	-	11	16	7	1232	15	10	7	1050
	-	-	-	-	-	-	-	-	14	15	7	1470
	-	-	-	-	-	-	-	-	5	16	7	560
Botany Lab	31	40	4	4960	-	-	-	-	-	-	-	-
Zoology Lab	-	-	-	-	-	-	-	-	1	10	7	70
Zoology Lab	-	-	-	-	-	-	-	-	13	20	7	1820
Physics Lab	3	40	5	600	-	-	-	-	6	20	7	840
Maths Department	4	40	5	800	-	-	-	-	3	20	7	420
Canteen	7	40	3	840	-	-	-	-	2	10	3	60
Library	-	-	-	-	-	-	-	-	48	20	7	6720
Classroom 1	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 2	3	40	3	360	-	-	-	-	-	-	-	-
Classroom 3	3	40	3	360	-	-	-	-	-	-	-	-
Classroom 4	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 5	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 6	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 7	3	40	4	480	-	-	-	-	-	-	-	-

1.1.2.048

Classroom 8	3	40	3	360	-	-	-	-	-	-	-	-
Classroom 9	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 10	3	40	3	360	-	-	-	-	-	-	-	-
Classroom 11	3	40	3	360	-	-	-	-	-	-	-	-
Classroom 12	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 13	4	40	3	480	-	-	-	-	-	-	-	-
Classroom 14	3	40	3	360	-	-	-	-	-	-	-	-
Corridor GF	9	40	3	1080	-	-	-	-	4	15	3	180
Corridor FF	6	40	3	720	-	-	-	-	-	-	-	-
Corridor SF	10	40	3	1200	-	-	-	-	-	-	-	-
Microbiology and Technology	-	-	-	-	24	20	7	3360	23	10	7	1610
Urinals	-	-	-	-	-	-	-	-	2	20	1	40
Electronis lab	10	40	5	2000	-	-	-	-	1	20	7	140
Electronis lab	5	40	5	1000	14	20	7	1960	-	-	-	-
Staff room ground floor	-	-	-	-	7	20	7	980	1	16	7	112
Staff room ground floor	-	-	-	-	-	-	-	-	3	20	7	420
Staff room ground floor	-	-	-	-	4	16	7	448	3	30	7	630

7.1.2.049

Staff room first floor	2	40	1	80	-	-	-	-	-	-	-	-
Staff room second floor	8	40	5	1600	-	-	-	-	-	-	-	-
Statistics Department	5	40	3	600	-	-	-	-	1	20	7	140
				Hostel								
Room 1 to room 22	44	40	8	14080	-	-	-	-	-	-	-	-
Dining room	3	40	40	4800	-	-	-	-	-	-	-	-
Kitchen	1	40	8	320	-	-	-	-	1	10	4	40
Office	1	40	4	160	-	-	-	-	-	-	-	-
Corridor GF	8	40	5	1600	-	-	-	-	-	-	-	-
Corridor FF	6	40	5	1200	-	-	-	-	-	-	-	-
Recreation Room	1	40	4	160	-	-	-	-	1	10	4	40
Total	243		185	48200	61		40	8080	186		145	21377
% LED Lightings		27.5%										

7.1.2.050

Annexure –VI: Undertaking by the System Department regarding control of Electronic Equipments

As per recommendation, the college agreed to establish the usage policy inline with below recommendation

- The usage policy of photocopiers, fax machines and other equipment users is "POWER ON" when in use and "POWER OFF" when not in use. There is no idle power consumption.

7.1.2.052

Annexure –VII: Water Quality Reports

DRINKING WATER ANALYSIS

Drinking water analysis of Brijlal Biyani Science College, Amravati was done on daily basis. Measurements of Temperature, pH, Conductivity, Total Dissolved Solids (TDS), Salinity, Turbidity and Dissolved Oxygen was done by Digital Water and Soil Analysis kit Labtronics Model-151E as ISO 9001.




Figure 1. Front Panel Diagram of Digital Water and Soil Analysis kit

Table 1. Technical Specifications

Temperature measurement	
Range	0 to 60°C
Resolution	0.1°C
Accuracy	± 0.5°C
Sensor	Semi-Conductor Type
pH measurements	
Range	0 to 14.00 pH
Resolution	0.01 pH
Accuracy	± 0.01 pH
Temperature Compensation	0 to 100°C
Conductivity measurements	
Range	0 to 19.99 mS/cm 0 to 20,000 µS/cm
Resolution	0.01 mS/cm
Accuracy	0.5% of range ± 1digit
TDS measurements	
Range	0 to 19.00 ppt (0-20,000 ppm)
Accuracy	0.5% of range ± 1 digit
Oscillator	1 KHz Built-in
Salinity measurements	
Range	0 to 49.99 ppt (0-20,000 ppm)
Accuracy	0.5% of range ± 1 digit
Oscillator	1 KHz Built-in
Turbidity measurements	
Detector	Photocell / Photo diode
Light Source	5V, 0.3 Amp. Tungsten Lamp
Calibration	With Formazine Solution
O.D (Optical Density) measurements	
Filters	**Wave length**
Violet	420
Blue	480

7.1.2.054

Green	549
Yellow	590
Red	650
DO measurements	
Range	0 to 19.9 ppm
Resolution	0.1 ppm
Accuracy	0.8 ppm
General specifications	
Display	3½ digit LCD
Decimal position	Automatic
Polarity indication	Automatic
Power Supply	Rechargeable Battery 8.4/9 V AC adaptor, 9V DC

Table 2. Drinking water Analysis

Sample	Temp °C	pH	Conductance mS/cm (mMhos/cm)	TDS ppm	Salinity ppm	Turbidity NTU	Colour Hazen Units	Dissolved Oxygen mg/l
1	25	6.5-8.5	3.5×10^3	3×10^3	1×10^3	5	5	5
2	25	8.20	430	0.23	0.1	0	0	5.5

1. Desirable limit of drinking water
2. Brijlal Biyani Science College, Amravati drinking water

CONCLUSION

The results of the present analysis showed that drinking water of Brijlal Biyani Science College, Amravati was within WHO/ ISI standards hence found to be suitable for human health.


Associate Professor
Brijlal Biyani Science College,
Amravati.

Annexure –VIII: List of Major Electronic Equipments in College


Computer Science Department quotation notice annual maintenance list of equipment as below.

Sr. No	Department	No. of Comp	Lab top	Rack Switch/Switch	Printer /Scanner	All in one Printer	Projector
1	Main Lab	29	03	01	07	03	01
2	BCA	41	01	01	02	02	01
3	Lab 2nd thin client	40		02	02		
4	Physics	02			01	01	02
5	Chemistry	02		01	01		
6	Office	14	01	02	06	01	
7	Zoology	03		01	01		01
8	Exam Jr.	01			01		
9	CXC Class	05					
10	Stat.	01	01		01		
11	Botany	02	02	01	01	01	
12	Electronics	09	02		02		02
13	BBA	05		01	01		01
14	Exam PET, PMT	01	01				
15	Library	07		01	01		
16	Maths	01	01				
17	Biotech		01	01	01		
18	Server	02					
		163	13	12	28	08	08

Annexure –IX: Solar Panel Installations



Four solar panels installed with each row 2.5 kW







Annexure –X: Water Distribution Data

The water is drawn from borewell. The water drawn is not measured. Recommendation to monitor the water drawn is raised under chapter 6 of this report.


Annexure –XI: Solar Passive Structure




Efficient use of daylight in labs



Efficient use of daylight in Labs




Efficient use of daylight in Class rooms



Efficient use of daylight in classrooms

Annexure –XII: Water Management



RO Water Plant



RO water rejection to garden area


Annexure –XIII: Waste Management



vermicomposting pit




E waste Collector



Waste collection




Incinerator for pretreatment of biohazardous waste




RO water rejection to garden are


Annexure –XIV: Awareness



Save Electricity Awareness



Save Electricity Awareness



Save Electricity Awareness

7.1.2. 066

Brijlal Biyani Science College, Amravati

Annexure –XV: Snapshot of annual rainfall data, Grid Emission Factor

Talukawise Rainy Days & Total Rainfall

Report : Yearly

District : Amravati

Reporting Year : 2011-12

	Average		In year 2011-12		
Taluka	Number of Rainy Days	Rainfall	Number of Rainy Days	Rainfall	Percentage of Rainfall in the year in comparision with Average Rainfall
1	2	3	4	5	6
Dharni	45	1172.70	45	1043.90	89.0
Chikhaldara	54600	1526.77	62	1577.70	103.3
Anjangaon Surji	38	616.30	36	646.20	104.9
Achalpur	27	697.50	40	741.00	106.2
Chandurbazar	42	688.30	44	654.80	95.1
Morshi	35	758.40	37	611.40	80.6
Warud	32	862.40	48	786.10	91.2
Teosa	30	727.80	44	715.80	98.4
Amravati	34	765.80	40	899.20	117.4
Bhatkuli	38	768.14	3580	736.30	95.9
Daryapur	37	637.40	42	676.60	106.1

Source :
'Agricultural Development Officer, Zilla Parishad,Commissionerate Of Agriculture'

Reference: http://data.maharashtra.gov.in/SDB_Reports/Amravati/PDF/2011-12_Amravati_DSA_5_7.pdf

CEA Database Version-14

CENTRAL ELECTRICITY AUTHORITY: CO2 BASELINE DATABASE

VERSION	14.0
DATE	Dec 18
BASELINE METHODOLOGY	ACM0002 / Ver 17.0 and "Tool to Calculate the Emission Factor for an Electricity System", Version 6.0

Emission Factors (tCO2/MWh) (incl. Imports)	2017-18
Weighted Average Emission Rate (2)	0.82


Annexure –XVI: Waste Handling


Please refer recommendation raised under Chapter 12 of this report.


7.1.2.068


Brijlal Biyani Science College, Amravati

Annexure –XVII: Onsite Measurements (Sample Pics)









Notes:

Coordinates of Sustainability Solutions :

Swapnil Thanekar

Sustainability |Energy |Water

(Certified Energy Auditor – EA4416)

Plot Number 09, Shivaji Nagar,
Opposite LAD college Ground,
North Ambazari Road,
Pin- 440010, Nagpur
Phone - 0091- 8149190608, 8975664570
Email: swanil_thanekar@yahoo.co.in

A-3, Flat 305, Sneha Vihar,
Dangat Patil Nagar, Shivne,
Off- NDA Road,
Pin 411023- Pune

Sustainability Solutions

Certificate

OF SUCCESSFUL COMPLETION OF GREEN AUDIT

awarded to

Brijlal Biyani Science College, Amravati

Assessment topics are stated below

1. Organization Level Efforts	*2. Creation of Awareness*	*3. Lighting*
4. Cooling and Ventilation	*5. Operation of Electronic Equipment's*	*6. Water Management*
7. Water Quality	*8. Renewable Energy*	*9. Transportation*
10. Purchasing Practices	*11. Carbon Footprint*	*12. Waste Management*
13. Plantation Details		

Sustainability Solutions, Nagpur
Mr. Swapnil Thanekar

5.10.2019
Date

PRINCIPAL
Brijlal Biyani Science College,
Amravati.

7.1.2.070

Annexure- 10

VADACTRO Technologies India Pvt. Ltd.
25, Kranti Colony, Akoli Road, Saturna,
Amravati - 444 605, India. Tel. : +91 721 2510072
E-mail : vadactro@gmail.com Web : www.vadactro.org.in

Date : 3rd April 2020

Ref: VD03042020GOD001

To

Dr Deepak Dhote

Principal,

Brijlal Biyani Science College, Amravati

Respected Sir,

It gives me pleasure to share with you the recent development that, our startup VADACTRO is expanding its business throughout the globe specifically in the countries (USA, UAE, UK and Few EU countries). Our state of are SL-BUS Technology and SmartLiving range of products is demanded and becoming popular now.

We are very much thankful to you for your consistent academics support and mentoring for product development for our startup which is now successfully working at international level for the generating revenue through above products.

We hope that you will continue your support and guidance for VADACTRO in future also as an Academic Adviser and a Mentor.

Yours faithfully,

VADACTRO TECHNOLOGIES INDIA PVT. LTD. INDIA

Authorized Signatory
For VADACTRO Technologies India Pvt.Ltd.

Brijlal Biyani Science College Amravati

PRINCIPAL
Brijlal Biyani Science College,
Amravati.